

[MSDS List](#)[Previous MSDS](#)[Next MSDS](#)

# MSDS

## MATERIAL SAFETY DATA SHEET

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION CHEW STOP [AEROSOL]

PRODUCT CODE: F-CHEW, REFERENCE #: 11503

PRODUCT NAME: CHEW STOP [AEROSOL] CHEMICAL FAMILY: COMPOUND

MANUFACTURER NAME AND  
ADDRESS:

TELEPHONE  
NUMBERS:

DATES:

Farnam Companies, Inc.

24 hour emergency  
number

(602)285-1660

Date Created:  
07/17/1992

301 West Osborn Road

Business hours

(602)234-2269

Revision:  
04/24/2001

Phoenix, AZ. 85013

Marketing

(602)285-1660

Printed: 06/24/2004

### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS CHEW STOP [AEROSOL]

HAZARDOUS COMPONENTS (CHEMICAL NAME)	CAS #	OSHA PEL	ACGIH TLV	OTHER LIMITS	PERCENTAGE
1. A108 PROPANE	NA				15.0 %
2. Aromatic hydrocarbon mixture	NA				70.0 -75.0 %

### SECTION 3. HAZARDS IDENTIFICATION CHEW STOP [AEROSOL]

#### EMERGENCY OVERVIEW

ROUTE(S) OF ENTRY: Inhalation? Yes , Skin? Yes , Eyes? Yes , Ingestion? Yes

POTENTIAL HEALTH EFFECTS (ACUTE AND CHRONIC)

NE

CARCINOGENICITY: NTP? , IARC Monographs? , OSHA Regulated?

CARCINOGENICITY/OTHER INFORMATION

RECOMMENDED EXPOSURE LIMITS: NE LD 50/LC 50:

SIGNS AND SYMPTOMS OF EXPOSURE

NE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NE

## **SECTION 4. FIRST AID MEASURES**

### **CHEW STOP [AEROSOL]**

#### EMERGENCY AND FIRST AID PROCEDURES

IF INGESTED: Do NOT induce vomiting because of aspiration hazard. Drink 2 glasses of water and contact physician or poison control center. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove to fresh air. Contact a physician if irritation persists.

IF IN EYES: Rinse with plenty of water and contact physician.

IF ON SKIN: Wash thoroughly with soap and water. Contact physician if irritation persists.

NOTE TO PHYSICIAN

---

## **SECTION 5. FIRE FIGHTING MEASURES**

### **CHEW STOP [AEROSOL]**

FLASH PT: 100.00 F METHOD USED:

EXPLOSIVE LIMITS: LEL: NE UEL: NE

EXTINGUISHING MEDIA

CO2, Foam, and dry chemical

FIRE FIGHTING INSTRUCTIONS

Use SCBA. Cool containers with water spray or move them from fire area if possible.

FLAMMABLE PROPERTIES AND HAZARDS

Contents under pressure; heat may cause containers to burst.

HAZARDOUS COMBUSTION PRODUCTS

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **CHEW STOP [AEROSOL]**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Extinguish all ignition sources. Ventilate area. If large spills, absorb with inert absorbent. Shovel into disposal containers.

---

## **SECTION 7. HANDLING AND STORAGE**

### **CHEW STOP [AEROSOL]**

HAZARD LABEL INFORMATION:

Contents under pressure                      Do not smoke

Do not use near fire, sparks or flame

PRECAUTIONS TO BE TAKEN IN HANDLING

Flammable: Keep away from heat and direct sunlight and open flames. Do not use while smoking. Do not puncture, incinerate, burn or store above 120 degrees F. Do not discard empty can in home garbage compactor.

PRECAUTIONS TO BE TAKEN IN STORING

OTHER PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **CHEW STOP [AEROSOL]**

RESPIRATORY EQUIPMENT (SPECIFY TYPE)

OSHA approved SCBA for fire fighting

EYE PROTECTION

goggles  
PROTECTIVE GLOVES  
rubber/neoprene gloves  
OTHER PROTECTIVE CLOTHING

ENGINEERING CONTROLS (VENTILATION ETC.)

Local Exhaust: Sufficient

Special:

Mechanical (Gen): fans

Other:

WORK/HYGIENIC/MAINTENANCE PRACTICES

Wash hands before eating, smoking, or using restroom.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES CHEW STOP [AEROSOL]**

PHYSICAL STATES: ☐ Gas , ☒ Liquid , ☐ Solid  
BOILING POINT: N.A.  
MELTING POINT: N.A.  
SPECIFIC GRAVITY (WATER = 1):  
VAPOR PRESSURE (VS. AIR OR MM HG):  
VAPOR DENSITY (VS. AIR = 1):  
EVAPORATION RATE (VS BUTYL ACETATE=1):  
SOLUBILITY IN WATER:  
OTHER SOLUBILITY NOTES: MISCIBLE  
PERCENT VOLATILE: N.A.  
PH: NA  
APPEARANCE AND ODOR  
Aerosol with straw clear liquid with cinnamon-like odor

---

## **SECTION 10. STABILITY AND REACTIVITY CHEW STOP [AEROSOL]**

STABILITY: Unstable ☐ Stable ☒  
CONDITIONS TO AVOID - INSTABILITY  
Heat/flame  
INCOMPATIBILITY - MATERIALS TO AVOID  
Oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS  
CO, CO2, Hydrocarbons  
HAZARDOUS POLYMERIZATION: Will occur ☐ Will not occur ☒  
CONDITIONS TO AVOID - HAZARDOUS POLYMERIZATION  
will not occur

---

## **SECTION 11. TOXICOLOGICAL INFORMATION CHEW STOP [AEROSOL]**

---

## **SECTION 12. ECOLOGICAL INFORMATION CHEW STOP [AEROSOL]**

---

**SECTION 13. DISPOSAL CONSIDERATIONS**  
**CHEW STOP [AEROSOL]**

WASTE DISPOSAL METHOD

Dispose of in accordance with local, State, and Federal regulations.

---

**SECTION 14. TRANSPORT INFORMATION**  
**CHEW STOP [AEROSOL]**

DOT PROPER SHIPPING NAME

DOT HAZARD LABEL: Consumer Commodity, ORM-D, Level 3 Aero

UN/NA NUMBER:

ADDITIONAL TRANSPORT INFORMATION

---

**SECTION 15. REGULATORY INFORMATION**  
**CHEW STOP [AEROSOL]**

---

**SECTION 16. OTHER INFORMATION**  
**CHEW STOP [AEROSOL]**

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.

---